

Gregory H. Halnon  
General Manager, Nuclear Plant Operations  
803.345.4007



April 27, 2001  
RC-01-0092

Document Control Desk  
U. S. Nuclear Regulatory Commission  
Washington, DC 20555

Gentlemen:

Subject: VIRGIL C. SUMMER NUCLEAR STATION  
DOCKET NO. 50-395  
OPERATING LICENSE NO. NPF-12  
ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT (RR 8350)

Enclosed is the South Carolina Electric & Gas Company (SCE&G) Annual Effluent and Waste Disposal Report as required by 10CFR50.36a, Sections 6.9.18 and 6.14.2 of the Virgil C. Summer Nuclear Station Technical Specifications, and Section 1.6.2 of the Offsite Dose Calculation Manual (ODCM). This submittal covers the period of January 1 through December 31, 2000.

Should there be any questions, please contact us at your convenience.

Very truly yours,

Gregory H. Halnon

SBR/GHH/sr  
Attachment

c: N. O. Lorick  
N. S. Carns  
T. G. Eppink (w/o enclosures)  
R. J. White (w/o enclosures)  
L. A. Reyes  
K. R. Cotton  
W. G. Wendland  
K. W. Sutton

NRC Resident Inspector  
J. W. Sowell (402)  
J. A. Orr (P40)  
W. R. Higgins (830)  
T. P. O'Kelly (SCDHEC)  
RTS (O-L-99-0113, O-C-00-1760)  
File (818.02-1, RR 8350)  
DMS (RC-01-0092)

LEAS  
11

VIRGIL C. SUMMER  
JENKINSVILLE, SOUTH CAROLINA


**ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT  
VIRGIL C. SUMMER NUCLEAR STATION**

**FOR THE OPERATING PERIOD  
JANUARY 1, 2000 - DECEMBER 31, 2000**

**APRIL 2001**




Prepared by:

  
Jerry W. Sowell, Health Physicist

Reviewed by:

  
G.M. Gowdy, Health Physicist

Approved by:

  
L.A. Blue, Manager  
Health Physics Services

# ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT

JANUARY – DECEMBER, 2000

## VIRGIL C. SUMMER NUCLEAR STATION SOUTH CAROLINA ELECTRIC & GAS

This report is being submitted as a summary of quantities of radioactive liquid and gaseous effluents and solid waste released from the Virgil C. Summer Nuclear Station. This report satisfies the requirements in Sections 6.9.1.8 and 6.14.2 of Technical Specifications, Section 1.6.2 of the Offsite Dose Calculation Manual (ODCM), and 10CFR50.36(a). Also included is an assessment of radiation doses from plant releases.

A brief discussion of the Supplemental Information and Tables 2 through 6 is presented in Sections A through D. An evaluation of the radiological impact on man due to operation of the Virgil C. Summer Nuclear Station is presented in Section E and Table 1. There were no abnormal releases for the period. A summary of the meteorological data for 2000 is presented in Section G and Tables 7 and 8. There were no changes made to the Offsite Dose Calculation Manual (ODCM) during the 12-month period. Section I gives a summary of oil incineration during the year.

### A. Supplemental Information

Regulatory limits for doses, dose rate and effluent concentration limits presented in Supplemental Information are from the Virgil C. Summer Nuclear Station ODCM and 40 CFR 190. Average energy ( $\bar{E}$ ) is not applicable to the method for determining release rate limits for fission and activation gaseous effluents; therefore, it has been omitted.

### B. Gaseous Effluents

Gaseous effluents released from ground level are summarized in Tables 2 and 3. An elevated release pathway does not exist at Virgil C. Summer Nuclear Station. Cumulative doses are discussed in Section E.

The errors for gaseous effluent totals are given as the square root of the sum of squares of counting errors and flow or volume measurement errors. A systematic error of 15% has been added to estimate total error.

# ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT

JANUARY – DECEMBER, 2000

## VIRGIL C. SUMMER NUCLEAR STATION SOUTH CAROLINA ELECTRIC & GAS

### C. Liquid Effluents

Liquid effluents are summarized in Tables 4 and 5. Estimated total errors are expressed as in Section B above.

### D. Solid Waste Shipments

Solid waste shipments are summarized in Table 6. Curie content of radioactive waste packages is determined by dose rates and/or gamma spectroscopy analysis of samples. The total error for each type of Curie content determination is conservatively estimated to be the sum of a 15% systematic error and a 20% photon response error for the detector used.

### E. Radiological Impact on Man

Potential doses to the maximum exposed individual in the unrestricted area were calculated using measured plant gaseous effluents and meteorological data in accordance with the Offsite Dose Calculation Manual. The source term involved one (1) waste gas decay tank (WGDT) release, 1.3 days of 6-inch Reactor Building purge releases, 78.8 days of 36-inch Reactor Building purge releases and a continuous 12 month Main Plant vent release. There was no Oil Incineration in 2000. Doses are summarized in Table 1. The total activities released are presented in Tables 2 and 3. The highest quarterly air doses to the maximum exposed individual due to noble gases were  $4.56\text{E-}5$  and  $2.62\text{E-}5$  mrad for gamma and beta, respectively, during the fourth quarter. The maximum quarterly organ dose attributed to the releases was  $1.97\text{E-}3$  mrem for the fourth quarter. Cumulative annual dose was  $4.56\text{E-}5$  mrad,  $2.63\text{E-}5$  mrad and  $1.97\text{E-}3$  mrem for gamma, beta, and organ dose, respectively.

Measured plant liquid effluent data was used to calculate estimates of doses to individuals in accordance with the Offsite Dose Calculation Manual. The source term consisted of the isotopic contents of 308 Waste Monitor Tank batch releases, 4 Condensate Backwash Receiver Tank batch releases, (one)1 NaOH batch release, 17.8 days of Steam Generator Blowdown release and a continuous Turbine Building Sump release.

# ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT

JANUARY – DECEMBER, 2000

## VIRGIL C. SUMMER NUCLEAR STATION SOUTH CAROLINA ELECTRIC & GAS

Doses are summarized in Table 1 and total radioactivity released is described in Tables 4 and 5. The highest quarterly total body dose to the maximally exposed individual due to the release of radioactive liquid was  $2.05E-3$  mrem during the first quarter. The highest organ dose was  $2.09E-3$  mrem to the gastro-intestinal tract / lower large intestine (GI-LLI) for the first quarter. Cumulative annual doses for the hypothetical maximally exposed individual were  $5.16E-03$  mrem for the total body and  $5.47E-3$  mrem for the GI-LLI (maximum annual organ). The GI-LLI was the maximum exposed organ for the first and fourth quarters. The Liver was the maximum exposed organ for the second and third quarters.

Dose rates and concentrations were below the limits specified in Supplemental Information, Section 2a, b and c during all the effluent releases.

Radiation doses from radioactive effluents to members of the public due to their activities inside the site boundary were assessed in a manner different from that in the Offsite Dose Calculation Manual. Quarterly thermoluminescent dosimetry data from four (4) monitoring locations within the site boundary and eight (8) locations around the site boundary perimeter were analyzed and compared with respective pre-operational background and previous year history. Results showed that 2000 quarterly dose rates did not differ significantly from the pre-operational or 1999 dose rates. It was concluded that doses to members of the public inside the site boundary were indistinguishable from normal background dose.

Radiation doses from radioactive effluents to workers at the Fairfield Hydro Station for the 12 month period were calculated to be  $2.14E-6$  and  $1.24E-6$  mrad for gamma and beta, respectively.

Radiation doses from nearby uranium fuel cycle sources were not assessed. The ODCM, Sections 1.3.1 and B/1.3 establish a five (5) mile limit beyond which doses from nearby plants are insignificant. There are no uranium fuel cycle plants within a five (5) mile radius of Virgil C. Summer Nuclear Station.

### F. Abnormal Releases

During 2000 the plant had no abnormal releases.

# ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT

JANUARY – DECEMBER, 2000

## VIRGIL C. SUMMER NUCLEAR STATION SOUTH CAROLINA ELECTRIC & GAS

### G. Meteorology

The meteorology data for 2000 is summarized in Table 7 by quarter. The data are shown as joint frequency distributions of wind direction and speed by atmospheric stability class.

The wind direction and wind speed data used in the summary were acquired from the 10 meter level of the primary monitoring tower. Stability was determined by the primary differential temperature (61 to 10 meter).

The combined annual data recovery for wind direction, wind speed and stability was 90.2%. Primary variable recovery rates were as follows: wind direction (10 m) - 90.4%, wind speed (10 m) - 91.5%, and differential temperature (61 - 10 m) - 95.0%.

### H. Offsite Dose Calculation Manual

The Virgil C. Summer Nuclear Station (VCSNS) Offsite Dose Calculation Manual (ODCM) was not revised during the affected 12 month period.

### I. Oil Incineration

There was no Oil Incineration during 2000.

### J. Offsite Dose Calculation Manual Reportable Incidences

Liquid Radiation Monitor RM-L9 was out of service from 8/15/2000 until 10/11/2000. The monitor failed to properly perform a source check. It was determined that the detector had failed. A new detector was ordered to replace the failed detector. No compensatory measures were required due to RM-L5 remaining in service during this time.

Liquid Radiation Monitor RM-L7 was out of service from 7/18/2000 until 12/18/2000. This monitor failed the calibration due to a change in the acceptance criteria. A new detector was ordered to replace the failed detector. The new detector failed the acceptance criteria. The calibration procedure was changed to new acceptance criteria based on continuing work

**ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT**

**JANUARY – DECEMBER, 2000**

**VIRGIL C. SUMMER NUCLEAR STATION  
SOUTH CAROLINA ELECTRIC & GAS**

for monitor calibrations. The old detector would have passed the acceptance criteria but failed in the process of calibration. The new detector was then calibrated and passed the acceptance criteria. There were no effluents released from this pathway during the out of service period.

The main contributing factor to these radiation monitors being out of service for greater than thirty days was the unavailability of spare detectors.

Flow transmitter IFT04811 was placed out of service on 10/13/2000 due to a recorder problem and remains out of service. This equipment has had a high and repetitive failure rate. The transmitter continues to function and provide information to the plant computer system. An engineering request was processed to replace the recorder with a new type and should be in place by 4/13/2001.

# ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT

JANUARY – DECEMBER, 2000

## VIRGIL C. SUMMER NUCLEAR STATION SOUTH CAROLINA ELECTRIC & GAS

### Supplemental Information

#### 1. Regulatory Limits:

##### a. Fission and Activation Gases:

The air dose to an individual due to noble gases released in gaseous effluents shall be limited to less than or equal to 5 mrad for gamma radiation and 10 mrad for beta radiation during any calendar quarter and 10 mrad for gamma radiation and 20 mrad for beta radiation during any calendar year (ODCM, Section 1.2.3.1).

##### b. Iodines, Particulates (half-lives > 8 days) and Tritium:

The dose to an individual from radioiodines, tritium and radioactive materials in particulate form with half-lives greater than 8 days in gaseous effluents shall be limited to less than or equal to 7.5 mrem to any organ during any calendar quarter and 15 mrem to any organ during any calendar year (ODCM, Section 1.2.4.1).

##### c. Liquid Effluents:

The dose or dose commitment to an individual from radioactive materials in liquid effluents released shall be limited to less than or equal to 1.5 mrem to the total body and 5 mrem to any organ during any calendar quarter and 3 mrem to the total body and 10 mrem to any organ during any calendar year (ODCM, Section 1.1.3.1).

##### d. All Sources:

The annual dose equivalent shall not exceed 25 mrem to the whole body, 75 mrem to the thyroid and 25 mrem to any other organ (40 CFR 190).

#### 2. Dose Rate and Effluent Concentration Limits:

##### a. Fission and Activation Gases

The dose rate in unrestricted areas due to radioactive materials released in gaseous effluents shall be limited to less than or equal to 500 mrem/year to the total body and less than or equal to 3000 mrem/year to the skin (ODCM, Section 1.2.2.1).



# ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT

JANUARY – DECEMBER, 2000

## VIRGIL C. SUMMER NUCLEAR STATION SOUTH CAROLINA ELECTRIC & GAS

### Supplemental Information

- b. Iodines, Particulates (half-lives > 8 days) and Tritium:

The dose rate in unrestricted areas due to radioactive materials in effluents shall be limited to less than or equal to 1500 mrem/year to any organ (ODCM, Section 1.2.2.1).

- c. Liquid Effluents:

The concentration of radioactive materials released from the site shall be limited to the concentrations specified in 10 CFR 20, Appendix B, Table 2, Column 2 for radionuclides other than dissolved or entrained noble gases. For dissolved or entrained noble gases, the concentration shall be limited to  $2E-4$   $\mu\text{Ci/ml}$  total activity (ODCM, Section 1.1.2.1).

3. Average Energy:

Not Applicable

4. Measurements and Approximations of Total Radioactivity:

- a. Fission and activation gases: Gamma spectrometry (HPGe)
- b. Iodines: Gamma spectrometry (HPGe)
- c. Particulates: Gamma spectrometry (HPGe), beta proportional counting, alpha proportional counting
- d. Tritium: Liquid scintillation
- e. Liquid effluents: Gamma spectrometry (HPGe), liquid scintillation (H-3), beta proportional counting, alpha proportional counting

# ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT

JANUARY – DECEMBER, 2000

## VIRGIL C. SUMMER NUCLEAR STATION SOUTH CAROLINA ELECTRIC & GAS

### Supplemental Information

5. Batch Releases:

a. Gaseous:

1. Number of batch releases: 1
2. Total time period for batch releases: 451 min
3. Maximum time period for a batch release: 451 min
4. Average time period for a batch release: 451 min
5. Minimum time period for a batch release: 451 min

b. Liquid:

1. Number of batch releases:

60 For first quarter, 2000  
69 For second quarter, 2000  
94 For third quarter, 2000  
90 For fourth quarter, 2000

2. Total time period for batch releases:

4.60E+3 min. for first quarter, 2000  
5.24E+3 min. for second quarter, 2000  
6.98E+3 min. for third quarter, 2000  
6.50E+3 min. for fourth quarter 2000

3. Maximum time period for a batch release:

8.70E+1 min. for first quarter, 2000  
8.30E+1 min. for second quarter, 2000  
8.30E+1 min. for third quarter, 2000  
9.00E+1 min. for fourth quarter, 2000

# ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT

JANUARY – DECEMBER, 2000

## VIRGIL C. SUMMER NUCLEAR STATION SOUTH CAROLINA ELECTRIC & GAS

### Supplemental Information

4. Average time period for batch releases:  
  
7.66E+1 min. for first quarter, 2000  
7.60E+1 min. for second quarter, 2000  
7.42E+1 min. for third quarter, 2000  
7.22E+1 min. for fourth quarter, 2000
5. Minimum time period for a batch release:  
  
6.80E+1 min. for first quarter, 2000  
1.00E+0 min. for second quarter, 2000  
6.10E+1 min. for third quarter, 2000  
1.20E+1 min. for fourth quarter, 2000
6. Average stream flow during periods of release of effluent into a flowing stream for 2000:  
  
4.56E+6 gpm for first quarter, 2000  
8.06E+6 gpm for second quarter, 2000  
8.11E+6 gpm for third quarter, 2000  
6.19E+6 gpm for fourth quarter, 2000
6. Abnormal Releases:
  - a. Gaseous:
    1. Number of releases: 0
    2. Total activity released: 0
  - b. Liquid:
    1. Number of releases: 0
    2. Total activity released: 0

ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT

JANUARY - DECEMBER 2000

Virgil C. Summer Nuclear Station  
South Carolina Electric & Gas

Table 1  
GASEOUS AND LIQUID DOSES

ODCM Section	GASEOUS LIMITS	FIRST QUARTER		SECOND QUARTER		THIRD QUARTER		FOURTH QUARTER		TOTAL ANNUAL DOSE
		DOSE	Percent of Limit	DOSE	Percent of Limit	DOSE	Percent of Limit	DOSE	Percent of Limit	
1.2.3.1.a,b	5 mrad gamma / qtr.	0.00E+00 mrad	0.00E+00	2.22E-08 mrad	4.44E-07 *	0.00E+00 mrad	0.00E+00	4.56E-05 mrad	9.11E-04	4.56E-05
	10 mrad gamma / yr.	0.00E+00	0.00E+00	2.22E-07 *	2.22E-07 *	2.22E-07 *	2.22E-07 *	4.56E-04 *	4.56E-04 *	
1.2.3.1.a,b	10 mrad beta / qtr.	0.00E+00 mrad	0.00E+00	6.61E-08 mrad	6.61E-07 *	0.00E+00 mrad	0.00E+00	2.62E-05 mrad	2.62E-04	2.63E-05
	20 mrad beta / yr.	0.00E+00	0.00E+00	3.30E-07 *	3.30E-07 *	3.30E-07 *	3.30E-07 *	1.31E-04 *	1.31E-04 *	
1.2.4.1.a,b	7.5 mrem organ/qtr	0.00E+00 mrem**	0.00E+00	0.00E+00 mrem**	0.00E+00 *	0.00E+00 mrem**	0.00E+00	1.97E-03 mrem**	2.63E-02	1.97E-03
	15 mrem organ/yr.	0.00E+00	0.00E+00	0.00E+00 *	0.00E+00 *	0.00E+00 *	0.00E+00 *	1.32E-02 *	1.32E-02 *	
1.1.3.1a,b	LIQUID LIMITS									
	1.5 mrem / qtr.	2.05E-03 mrem	1.37E-01	1.73E-03 mrem	1.15E-01	1.06E-03 mrem	7.10E-02	3.14E-04 mrem	2.10E-02	5.16E-03
3 mrem / yr.		6.84E-02		1.26E-01 *			1.62E-01 *	1.72E-01 *		
1.1.3.1a,b	5 mrem organ/qtr***	2.09E-03 mrem	4.18E-02	1.75E-03 mrem	3.50E-02	1.10E-03 mrem	2.20E-02	6.21E-04 mrem	1.24E-02	5.47E-03
	10 mrem organ/yr.		2.09E-02		3.81E-02 *		4.90E-02 *		5.47E-02 *	

\* Includes contribution from previous quarters

\*\* Includes dose from all nuclides

\*\*\* See page 3 for max organ for each quarter

**ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT**  
January - December 2000

*Virgil C. Summer Nuclear Station  
South Carolina Electric & Gas*

**Table 2**  
**Gaseous Effluents Summation of All Releases**

	UNITS	FIRST QUARTER	SECOND QUARTER	THIRD QUARTER	FOURTH QUARTER	2000 TOTAL	EST. ERROR %
<b>A. Fission &amp; Activation Gases</b>							
1. Total release	Ci	0.00E+00	3.15E-04	0.00E+00	7.75E-02	7.78E-02	28.9
2. Average release rate	uCi / sec	0.00E+00	4.01E-05	0.00E+00	9.74E-03	2.46E-03	
3. Percent ODCM Qtr. gamma air dose limit	%	0.00E+00	4.44E-07	0.00E+00	9.11E-04	N/A	
4. Percent ODCM annual gamma air dose limit	%	0.00E+00	2.22E-07 *	2.22E-07 *	4.56E-04 *	4.56E-04 *	
5. Percent ODCM Qtr. beta air dose limit	%	0.00E+00	6.61E-07	0.00E+00	2.62E-04	N/A	
6. Percent ODCM annual beta air dose limit	%	0.00E+00	3.30E-07 *	3.30E-07 *	1.31E-04 *	1.31E-04 *	
<b>B. Iodines</b>							
1. Total iodine - 131	Ci	0.00E+00	0.00E+00	0.00E+00	6.95E-06	6.95E-06	49.9
2. Average release	uCi / sec	0.00E+00	0.00E+00	0.00E+00	8.75E-07	2.20E-07	
<b>C. Particulates</b>							
1. Particulates with half - lifes > 8 days	Ci	0.00E+00	0.00E+00	0.00E+00	8.19E-05	8.19E-05	52.9
2. Average release rate	uCi / sec	0.00E+00	0.00E+00	0.00E+00	1.03E-05	2.59E-06	
3. Gross alpha radioactivity	Ci	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
<b>D. Tritium</b>							
1. Total release	Ci	0.00E+00	0.00E+00	0.00E+00	3.35E+00	3.35E+00	67.7
2. Average release rate	uCi / sec	0.00E+00	0.00E+00	0.00E+00	4.21E-01	1.06E-01	
<b>E. Organ Dose (from B,C,and D)</b>							
1. Percent ODCM Qtr. organ dose limit	%	0.00E+00	0.00E+00	0.00E+00	2.63E-02	N/A	
2. Percent ODCM annual organ dose limit	%	0.00E+00	0.00E+00	0.00E+00	1.32E-02 *	1.32E-02 *	

\* Cumulative

**ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT  
JANUARY - DECEMBER, 2000**

*Virgil C. Summer Nuclear Station  
South Carolina Electric & Gas*

**TABLE 3  
GASEOUS EFFLUENTS -- GROUND-LEVEL RELEASES**

Nuclides Released	Units	Continuous Mode					Batch Mode					
		First Quarter	Second Quarter	Third Quarter	Fourth Quarter	Annual Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter	Annual Total	
<b>1 Fission gases</b>												
Krypton-85	Cl	0	0	0	0	0	0	0	0	0	0	0
Krypton-85m	Cl	0	0	0	0	0	0	0	0	0	0	0
Krypton-87	Cl	0	0	0	0	0	0	0	0	0	0	0
Krypton-88	Cl	0	0	0	0	0	0	0	0	0	0	0
Xenon-133	Cl	0	0	0	5.50E-02	5.50E-02	0	3.15E-04	0	0	0	3.15E-04
Xenon-135	Cl	0	0	0	0	0	0	0	0	0	0	0
Xenon-135m	Cl	0	0	0	0	0	0	0	0	0	0	0
Xenon-138	Cl	0	0	0	0	0	0	0	0	0	0	0
Other: Ar-41	Cl	0	0	0	2.24E-02	2.24E-02	0	0	0	0	0	0
Unidentified: None	Cl	0	0	0	0	0	0	0	0	0	0	0
Total for Period	Cl	0	0	0	7.74E-02	7.74E-02	0	3.15E-04	0	0	0	3.15E-04
<b>2 Iodines and other halogens</b>												
Iodine-131	Cl	0	0	0	6.95E-06	6.95E-06	0	0	0	0	0	0
Iodine-132	Cl	0	0	0	3.07E-04	3.07E-04	0	0	0	0	0	0
Iodine-133	Cl	0	0	0	0	0	0	0	0	0	0	0
Iodine-135	Cl	0	0	0	0	0	0	0	0	0	0	0
Unidentified: None	Cl	0	0	0	0	0	0	0	0	0	0	0
Total for Period	Cl	0	0	0	3.14E-04	3.14E-04	0	0	0	0	0	0
<b>3 Particulates</b>												
Chromium-51	Cl	0	0	0	1.63E-05	1.63E-05	0	0	0	0	0	0
Manganese-54	Cl	0	0	0	2.74E-06	2.74E-06	0	0	0	0	0	0
Cobalt-60	Cl	0	0	0	4.68E-06	4.68E-06	0	0	0	0	0	0
Strontium-89	Cl	0	0	0	0	0	0	0	0	0	0	0
Strontium-90	Cl	0	0	0	0	0	0	0	0	0	0	0
Niobium-95	Cl	0	0	0	2.45E-06	2.45E-06	0	0	0	0	0	0
Cesium-134	Cl	0	0	0	0	0	0	0	0	0	0	0
Cesium-137	Cl	0	0	0	0	0	0	0	0	0	0	0
Barium-Lanthanum-140	Cl	0	0	0	0	0	0	0	0	0	0	0
Other: Co-58	Cl	0	0	0	5.57E-05	5.57E-05	0	0	0	0	0	0
Unidentified: None	Cl	0	0	0	0	0	0	0	0	0	0	0
Total for Period	Cl	0	0	0	8.19E-05	8.19E-05	0	0	0	0	0	0

**ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT  
JANUARY-DECEMBER, 2000**

*Virgil C. Summer Nuclear Station  
South Carolina Electric & Gas*

**TABLE 4  
Liquid Effluents Summation of All Releases**

	UNITS	FIRST QUARTER	SECOND QUARTER	THIRD QUARTER	FOURTH QUARTER	2000 TOTAL	EST. ERROR %
<b>A. Fission &amp; Activation Products</b>							
1. Total release	Ci	7.70E-03	6.22E-03	2.26E-02	2.35E-02	6.01E-02	22.82
2. Average diluted concentration	uCi/ml	3.02E-11	1.51E-11	4.50E-11	9.05E-11	4.20E-11	
<b>B. Tritium</b>							
1. Total release	Ci	1.72E+02	2.22E+02	1.45E+02	3.95E+01	5.79E+02	18.55
2. Average diluted concentration	uCi/ml	6.75E-07	5.40E-07	2.88E-07	1.52E-07	4.05E-07	
<b>C. Dissolved and entrained gases</b>							
1. Total release	Ci	4.47E-04	2.14E-03	1.34E-02	6.22E-04	1.66E-02	39.8
2. Average diluted concentration	uCi/ml	1.75E-12	5.19E-12	2.66E-11	2.39E-12	1.16E-11	
3. Percent ODCM limit	%	8.76E-07	2.60E-06	1.33E-05	1.20E-06	5.80E-06	
<b>D. Gross alpha radioactivity</b>							
1. Total release	Ci	0	0	0	0	0	N/A
<b>E. ODCM limits ( from A and B )</b>							
1. Percent of ODCM Qtr total body limit	%	1.37E-01	1.15E-01	7.10E-02	2.10E-02	N/A	
2. Percent of ODCM annual total body limit	%	6.84E-02	1.26E-01 *	1.62E-01 *	1.72E-01 *	1.72E-01 *	
3. Percent of ODCM Qtr max. organ limit**	%	4.18E-02	3.50E-02	2.20E-02	1.24E-02	N/A	
4. Percent of ODCM annual max. organ limit**	%	2.09E-02	3.81E-02 *	4.90E-02 *	5.47E-02 *	5.47E-02 *	
<b>E. Volume of waste released (undiluted)</b>	liters	1.48E+07	1.22E+07	1.88E+07	4.04E+07	8.62E+07	3.0
<b>F. Volume of dilution water</b>	liters	2.55E+11	4.12E+11	5.03E+11	2.60E+11	1.43E+12	4.3

\* Cumulative

\*\* See page 3 for max. organ for each quarter and cumulative.

**ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT  
JANUARY - DECEMBER, 2000**

*Virgil C. Summer Nuclear Station  
South Carolina Electric & Gas*

**TABLE 5  
LIQUID EFFLUENTS**

Nuclides Released*	Units	Continuous Mode					Batch Mode							
		First Quarter	Second Quarter	Third Quarter	Fourth Quarter	Annual Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter	Annual Total			
Strontium-89	Cl	0	0	0	0	0	0	0	0	0	0	0	0	0
Strontium-90	Cl	0	0	0	0	0	0	0	0	0	0	0	0	0
Cesium-134	Cl	0	0	0	0	0	0	0	0	0	0	0	0	0
Cesium-137	Cl	0	0	0	0	0	0	1.25E-04	2.28E-04	0	0	0	0	3.53E-04
Iodine-131	Cl	0	0	0	0	0	0	5.58E-07	4.66E-06	0	0	0	0	5.79E-06
Cobalt-58	Cl	0	0	0	0	0	0	3.05E-04	1.05E-03	5.81E-04	5.14E-03	0	0	7.08E-03
Cobalt-60	Cl	0	0	0	0	0	0	1.17E-03	1.22E-03	1.82E-03	2.21E-03	0	0	6.42E-03
Iron-59	Cl	0	0	0	0	0	0	0	1.41E-06	0	2.15E-04	0	0	2.16E-04
Zinc-65	Cl	0	0	0	0	0	0	4.03E-06	0	0	3.06E-05	0	0	3.46E-05
Manganese-54	Cl	0	0	0	0	0	0	1.97E-04	1.27E-04	2.16E-04	3.77E-04	0	0	9.17E-04
Chromium-51	Cl	0	0	0	0	0	0	0	0	1.18E-05	4.23E-03	0	0	4.24E-03
Zirconium-Niobium-95	Cl	0	0	0	0	0	0	8.15E-06	0	4.21E-06	2.86E-04	0	0	2.98E-04
Technetium-99m	Cl	0	0	0	0	0	0	0	0	3.76E-06	3.09E-07	0	0	4.07E-06
Barium-Lanthanum-140	Cl	0	0	0	0	0	0	0	0	0	0	0	0	0
Other: Be-7	Cl	0	0	0	0	0	0	1.93E-05	0	0	0	0	0	1.93E-05
Na-24	Cl	0	0	0	0	0	0	0	0	1.57E-06	0	0	0	1.57E-06
Fe-55	Cl	0	0	0	0	0	0	4.43E-03	3.00E-03	1.96E-02	1.05E-02	0	0	3.75E-02
Co-57	Cl	0	0	0	0	0	0	4.12E-06	3.83E-05	2.54E-05	2.48E-05	0	0	9.26E-05
Ag-110m	Cl	0	0	0	0	0	0	0	8.44E-06	4.39E-06	8.77E-06	0	0	2.16E-05
Sr-117m	Cl	0	0	0	0	0	0	0	0	0	4.46E-06	0	0	4.46E-06
Sb-124	Cl	0	0	0	0	0	0	0	0	0	1.04E-05	0	0	1.04E-05
Sb-125	Cl	0	0	0	0	0	0	1.56E-03	6.51E-04	1.52E-04	1.93E-04	0	0	2.56E-03
Te-125m	Cl	0	0	0	0	0	0	0	0	0	2.81E-04	0	0	2.81E-04
I-133	Cl	0	0	0	0	0	0	0	0	3.23E-06	0	0	0	3.23E-06
Unidentified: None	Cl	0	0	0	0	0	0	0	0	0	0	0	0	0
Total for Period (above)	Cl	0	0	0	0	0	0	7.70E-03	6.22E-03	2.27E-02	2.35E-02	0	0	6.01E-02
Xenon-133	Cl	0	0	0	0	0	0	3.87E-04	1.86E-03	1.21E-02	6.22E-04	0	0	1.50E-02
Xenon-135	Cl	0	0	0	0	0	0	5.99E-05	2.17E-04	9.57E-04	0	0	0	1.23E-03
Other: Ar-41	Cl	0	0	0	0	0	0	0	8.09E-06	3.38E-05	0	0	0	4.19E-05
Kr-85m	Cl	0	0	0	0	0	0	0	4.21E-06	1.44E-05	0	0	0	1.86E-05
Xe-131m	Cl	0	0	0	0	0	0	0	1.20E-05	0	0	0	0	1.20E-05
Xe-133m	Cl	0	0	0	0	0	0	0	3.10E-05	2.33E-04	0	0	0	2.64E-04
Unidentified: None	Cl	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Entrained Gases	Cl	0	0	0	0	0	0	4.47E-04	2.13E-03	1.33E-02	6.22E-04	0	0	1.65E-02

\*Tritium not included. See Table 4 for tritium numbers



**ANNUAL EFFLUENT AND WASTE DISPOSAL REPORT**  
January - December, 2000

**Virgil C. Summer Nuclear Station**  
**South Carolina Electric & Gas**

**Table 6**  
**SOLID WASTE AND IRRADIATED FUEL SHIPMENTS**

**A. Solid Waste Shipped Offsite for Burial or Disposal (Not irradiated fuel).**

1.	Type of Waste	Unit	2000 Total	Est. Total Error, %
	a. Spent resins, filter sludges, evaporator bottoms, etc.	m3 Ci	6.87 7.87E+01	3.5E+01
	b. Dry compressible waste contaminated equip., etc.	m3 Ci	4.33 4.74E-01	3.5E+01
	c. Irradiated components, control rods, etc.	m3 Ci	0 0	N/A
	d. Other (describe)	m3 Ci	0 0	N/A

**2. Estimate of major nuclide composition for the year (by type of waste) for concentrations above 1.0% (listed in descending order by activity level).**

a.	Fe-55	%	42.70
	Ni-63	%	40.4
	Co-60	%	10.0
	Mn-54	%	4.44
	Co-58	%	1.16
b.	Fe-55	%	58.0
	Ni-63	%	18.0
	Co-60	%	12.4
	Mn-54	%	4.59
	Co-58	%	3.12
	Nb-95	%	1.17
c.	None	%	N/A
d.	None	%	N/A

**3A. Solid waste Disposition**

Numbers of Shipments	Mode of Transportation	Destination
12*	Truck	Clive, Ut
2	Truck	Barnwell, S.C.

\* Note: 12 are partial shipments of DAW from waste processor to Clive,Ut.

**3B. Irradiated Fuel Shipments (Disposition)**

Number of Shipments	Mode of Transportation	Destination
0	N/A	N/A

**TABLE 7**

**JOINT FREQUENCY DISTRIBUTION**

**BY QUARTER FOR 2000**

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 1- 1 00:00 to 0- 3-31 23:00

Stability Class: A delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	2	0	0	0	0	2	6.02	
NNE	0	1	0	0	0	0	1	5.64	
NE	0	2	0	0	0	0	2	5.10	
ENE	0	0	0	0	0	0	0	0.00	
E	0	0	0	0	0	0	0	0.00	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	1	0	0	0	0	1	6.47	
SSE	0	1	0	0	0	0	1	5.19	
S	0	1	0	0	0	0	1	7.30	
SSW	0	0	1	0	0	0	1	10.30	
SW	0	2	5	1	0	0	8	9.66	
WSW	0	5	9	2	0	0	16	9.88	
W	0	1	4	0	0	0	5	8.86	
WNW	0	4	0	0	0	0	4	7.11	
NW	0	3	4	2	0	0	9	10.09	
NNW	0	1	0	0	0	0	1	6.08	
Total	0	24	23	5	0	0	52		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 1- 1 00:00 to 0- 3-31 23:00

Stability Class: B delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	0	0	0	0	0	0	0.00	
NNE	0	0	0	0	0	0	0	0.00	
NE	0	1	0	0	0	0	1	7.60	
ENE	0	0	0	0	0	0	0	0.00	
E	0	0	0	0	0	0	0	0.00	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	0	0	0	0	0	0	0.00	
SSE	0	0	0	0	0	0	0	0.00	
S	0	0	0	0	0	0	1	12.29	
SSW	0	0	1	0	0	0	13	9.71	
SW	0	3	9	1	0	0	10	10.19	
WSW	0	3	4	3	0	0	5	6.88	
W	0	4	1	0	0	0	8	7.63	
WNW	0	5	3	0	0	0	7	8.85	
NW	0	2	5	0	0	0	7	8.85	
NNW	0	0	1	2	0	0	3	14.93	
Total	0	18	24	6	0	0	48		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 1- 1 00:00 to 0- 3-31 23:00

Stability Class: C delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	2	1	2	1	0	6	12.97	
NNE	0	1	0	0	0	2	3	19.46	
NE	0	2	1	0	0	2	5	14.52	
ENE	0	1	1	1	0	0	3	11.35	
E	0	0	2	0	0	0	2	11.00	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	2	0	0	0	0	2	6.70	
SSE	0	0	1	0	0	0	1	8.34	
S	0	0	0	0	0	0	0	0.00	
SSW	0	1	4	0	0	0	5	10.88	
SW	0	7	8	0	0	0	15	8.18	
WSW	0	5	8	1	0	0	14	9.66	
W	0	5	3	1	0	0	9	8.43	
WNW	0	7	1	0	0	0	8	6.74	
NW	0	3	1	0	0	0	4	7.25	
NNW	0	1	1	2	0	0	4	12.81	
Total	0	37	32	7	1	4	81		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 1- 1 00:00 to 0- 3-31 23:00

Stability Class: D delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	27	19	6	1	0	53	8.93	
NNE	0	39	35	18	6	3	101	10.81	
NE	0	46	68	25	3	2	144	10.17	
ENE	0	42	94	28	2	0	166	10.40	
E	0	22	31	2	0	0	55	8.76	
ESE	0	34	14	7	0	0	55	8.32	
SE	0	12	3	3	1	0	19	8.94	
SSE	0	19	3	0	0	0	22	6.85	
S	0	16	20	0	0	0	36	8.12	
SSW	0	20	18	7	0	0	45	9.46	
SW	0	24	22	1	0	0	47	8.14	
WSW	0	22	19	3	0	0	44	8.23	
W	0	38	21	2	0	0	61	7.94	
WNW	0	23	2	0	0	0	25	6.53	
NW	1	36	9	1	0	0	47	6.95	
NNW	0	12	18	18	1	3	52	12.42	
Total	1	432	396	121	14	8	972		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 1- 1 00:00 to 0- 3-31 23:00

Stability Class: E delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	17	5	2	0	0	24	7.20	
NNE	0	18	6	2	1	0	27	7.81	
NE	0	17	5	1	0	0	23	7.36	
ENE	0	10	5	0	0	0	15	7.44	
E	0	22	10	0	0	0	32	7.30	
ESE	0	10	0	0	0	0	10	5.97	
SE	0	13	3	0	0	0	16	6.90	
SSE	0	26	7	0	0	0	33	6.93	
S	0	25	11	0	0	0	36	7.38	
SSW	0	38	18	2	0	0	58	7.67	
SW	0	74	19	0	0	0	93	6.84	
WSW	0	63	19	0	0	0	82	6.77	
W	0	53	7	1	0	0	61	6.46	
WNW	0	42	2	0	0	0	44	6.09	
NW	0	28	4	1	0	0	33	6.60	
NNW	0	9	4	1	0	0	14	7.95	
Total	0	465	125	10	1	0	601		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 1- 1 00:00 to 0- 3-31 23:00

Stability Class: F delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	4	0	0	0	0	4	5.62	
NNE	0	5	0	0	0	0	5	6.18	
NE	0	4	2	0	0	0	6	6.47	
ENE	0	4	0	0	0	0	4	6.49	
E	0	7	0	0	0	0	7	6.05	
ESE	0	4	0	0	0	0	4	7.47	
SE	0	5	0	0	0	0	5	6.35	
SSE	0	25	2	0	0	0	27	6.06	
S	0	38	5	0	0	0	43	6.18	
SSW	0	28	3	0	0	0	31	6.06	
SW	0	26	1	0	0	0	27	5.65	
WSW	0	23	1	0	0	0	24	5.76	
W	0	17	2	0	0	0	19	5.64	
WNW	0	17	0	0	0	0	17	5.53	
NW	0	12	0	0	0	0	12	6.12	
NNW	0	6	0	0	0	0	6	6.58	
Total	0	225	16	0	0	0	241		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	2184



JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 1- 1 00:00 to 0- 3-31 23:00

Stability Class: G delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24		
N	0	4	0	0	0	0	4	5.92
NNE	0	2	1	0	0	0	3	7.59
NE	0	0	0	0	0	0	0	0.00
ENE	0	1	1	0	0	0	2	7.60
E	0	0	0	0	0	0	0	0.00
ESE	0	1	1	0	0	0	2	7.92
SE	0	4	0	0	0	0	4	6.81
SSE	0	18	3	0	0	0	21	6.74
S	0	21	0	0	0	0	21	5.65
SSW	0	18	1	0	0	0	19	5.71
SW	0	23	0	0	0	0	23	5.39
WSW	0	28	3	0	0	0	31	6.10
W	0	22	2	0	0	0	24	5.92
WNW	0	19	2	0	0	0	21	6.64
NW	0	7	3	0	0	0	10	6.83
NNW	0	4	0	0	0	0	4	6.62
Total	0	172	17	0	0	0	189	
Hours of Calm	:							0
Hours of Varying Wind Direction	:							0
Hours of Missing Data	:							0
Hours of Missing Data for All	:							0
Hours of No Stability Class	:							0
Total hours of observation	:							2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 1- 1 00:00 to 0- 3-31 23:00

Stability Class:ALL delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	56	25	10	2	0	93	8.41	
NNE	0	66	42	20	7	5	140	10.15	
NE	0	72	76	26	3	4	181	9.74	
ENE	0	58	101	29	2	0	190	10.07	
E	0	51	43	2	0	0	96	8.12	
ESE	0	49	15	7	0	0	71	7.93	
SE	0	37	6	3	1	0	47	7.64	
SSE	0	89	16	0	0	0	105	6.65	
S	0	101	36	0	0	0	137	6.93	
SSW	0	105	46	9	0	0	160	7.78	
SW	0	159	64	3	0	0	226	7.17	
WSW	0	149	63	9	0	0	221	7.42	
W	0	140	40	4	0	0	184	6.97	
WNW	0	117	10	0	0	0	127	6.36	
NW	1	91	26	4	0	0	122	7.11	
NNW	0	33	24	23	1	3	84	11.01	
Total	1	1373	633	149	16	12	2184		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29  
 Data Period : 0- 4- 1 00:00 to 0- 6-30 23:00  
 Stability Class: A delta T/ delta z 61->10 m Delta T With Substitution  
 Wind Sensor Height : 10 meter  
 Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	1	1	0	0	0	2	9.28	
NNE	0	1	0	0	0	0	1	5.66	
NE	0	0	0	0	0	0	0	0.00	
ENE	0	0	0	0	0	0	0	0.00	
E	0	0	0	0	0	0	0	0.00	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	0	0	0	0	0	0	0.00	
SSE	0	0	0	0	0	0	0	0.00	
S	0	0	0	1	0	0	1	15.07	
SSW	0	1	6	0	0	0	7	10.05	
SW	0	10	22	1	0	0	33	9.30	
WSW	0	32	32	3	0	0	67	8.66	
W	0	11	10	2	0	0	23	8.89	
WNW	0	10	3	0	0	0	13	7.08	
NW	0	3	2	0	0	0	5	8.50	
NNW	0	1	1	1	0	0	3	9.95	
Total	0	70	77	8	0	0	155		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	2
Hours of Missing Data for All								:	241
Hours of No Stability Class								:	87
Total hours of observation								:	2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 4- 1 00:00 to 0- 6-30 23:00

Stability Class: B delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	1	0	0	0	0	1	6.70	
NNE	0	0	0	0	0	0	0	0.00	
NE	0	1	0	0	1	0	2	12.50	
ENE	0	0	0	0	0	0	0	0.00	
E	0	1	0	0	0	0	1	5.98	
ESE	0	0	1	0	0	0	1	9.77	
SE	0	0	0	0	0	0	0	0.00	
SSE	0	0	0	0	0	0	0	0.00	
S	0	1	0	0	0	0	1	7.77	
SSW	0	0	9	0	0	0	9	9.80	
SW	0	19	19	0	0	0	38	8.30	
WSW	0	19	6	1	0	0	26	7.40	
W	0	7	3	0	0	0	10	7.87	
WNW	0	2	1	0	0	0	3	9.03	
NW	0	0	3	1	0	0	4	11.64	
NNW	0	1	0	0	0	0	1	5.68	
Total	0	52	42	2	1	0	97		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	2
Hours of Missing Data for All								:	241
Hours of No Stability Class								:	87
Total hours of observation								:	2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 4- 1 00:00 to 0- 6-30 23:00

Stability Class: C delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	0	1	0	0	1	2	17.56	
NNE	0	0	0	0	1	0	1	22.79	
NE	0	1	2	5	3	0	11	15.85	
ENE	0	3	1	1	0	0	5	9.01	
E	0	0	0	0	0	0	0	0.00	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	1	1	0	0	0	2	9.30	
SSE	0	1	1	1	0	0	3	10.24	
S	0	2	1	0	0	0	3	7.78	
SSW	0	1	9	0	0	0	10	10.41	
SW	0	9	10	2	0	0	21	8.74	
WSW	0	18	3	0	0	0	21	6.48	
W	0	5	2	0	0	0	7	7.66	
WNW	0	5	0	0	0	0	5	6.11	
NW	0	4	3	0	0	0	7	8.93	
NNW	0	1	2	2	0	0	5	12.31	
Total	0	51	36	11	4	1	103		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	9
Hours of Missing Data for All								:	241
Hours of No Stability Class								:	87
Total hours of observation								:	2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 4- 1 00:00 to 0- 6-30 23:00

Stability Class: D delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24		
N	1	22	21	5	4	0	53	9.45
NNE	0	33	12	10	0	0	55	8.21
NE	0	29	28	34	2	0	93	11.14
ENE	0	24	17	2	1	0	44	8.13
E	0	17	3	0	0	0	20	6.49
ESE	0	14	4	0	0	0	18	7.03
SE	0	10	4	0	0	0	14	7.32
SSE	0	22	18	1	0	0	41	8.13
S	0	19	23	9	0	0	51	9.52
SSW	1	31	30	9	0	0	71	9.04
SW	0	90	36	2	0	0	128	7.07
WSW	0	38	9	0	0	0	47	6.35
W	0	23	9	0	0	0	32	7.15
WNW	0	9	3	0	0	0	12	7.06
NW	0	9	12	3	0	0	24	9.33
NNW	0	7	13	7	0	0	27	10.64
Total	2	397	242	82	7	0	730	

Hours of Calm : 0  
 Hours of Varying Wind Direction : 0  
 Hours of Missing Data : 81  
 Hours of Missing Data for All : 241  
 Hours of No Stability Class : 87  
 Total hours of observation : 2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 4- 1 00:00 to 0- 6-30 23:00

Stability Class: E delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	9	0	0	0	0	9	5.57	
NNE	0	12	1	0	0	0	13	5.75	
NE	0	7	0	0	0	0	7	5.87	
ENE	0	9	2	1	0	0	12	8.43	
E	0	5	1	0	0	0	6	7.26	
ESE	0	8	2	0	0	0	10	6.72	
SE	0	14	2	0	0	0	16	6.69	
SSE	0	29	7	1	0	0	37	6.79	
S	1	51	39	1	0	0	92	7.52	
SSW	3	89	47	0	0	0	139	7.20	
SW	2	95	15	0	0	0	112	6.15	
WSW	0	42	0	0	0	0	42	5.51	
W	0	25	0	0	0	0	25	5.69	
WNW	2	24	1	0	0	0	27	5.62	
NW	1	22	2	0	0	0	25	5.79	
NNW	1	8	4	0	0	0	13	7.20	
Total	10	449	123	3	0	0	585		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	48
Hours of Missing Data for All								:	241
Hours of No Stability Class								:	87
Total hours of observation								:	2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 4- 1 00:00 to 0- 6-30 23:00

Stability Class: F delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24		
N	0	0	0	0	0	0	0	0.00
NNE	0	0	1	0	0	0	1	8.89
NE	0	0	0	0	0	0	0	0.00
ENE	0	2	0	0	0	0	2	6.02
E	0	0	0	0	0	0	0	0.00
ESE	0	1	0	0	0	0	1	6.11
SE	0	7	0	0	0	0	7	6.32
SSE	0	28	2	0	0	0	30	6.54
S	1	30	1	0	0	0	32	5.83
SSW	0	37	2	0	0	0	39	6.09
SW	1	31	0	0	0	0	32	5.48
WSW	1	22	0	0	0	0	23	5.30
W	1	17	0	0	0	0	18	5.28
WNW	0	9	0	0	0	0	9	5.11
NW	0	5	0	0	0	0	5	5.39
NNW	0	2	0	0	0	0	2	6.71
Total	4	191	6	0	0	0	201	

Hours of Calm : 0  
 Hours of Varying Wind Direction : 0  
 Hours of Missing Data : 10  
 Hours of Missing Data for All : 241  
 Hours of No Stability Class : 87  
 Total hours of observation : 2184



JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29  
 Data Period : 0- 4- 1 00:00 to 0- 6-30 23:00  
 Stability Class: G delta T/ delta z 61->10 m Delta T With Substitution  
 Wind Sensor Height : 10 meter  
 Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	0	0	0	0	0	0	0.00	
NNE	0	0	0	0	0	0	0	0.00	
NE	0	0	0	0	0	0	0	0.00	
ENE	0	0	0	0	0	0	0	0.00	
E	0	0	0	0	0	0	0	0.00	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	0	0	0	0	0	8	7.48	
SSE	0	5	3	0	0	0	18	5.69	
S	0	18	0	0	0	0	13	5.04	
SSW	1	12	0	0	0	0	8	5.32	
SW	1	6	1	0	0	0	12	4.88	
WSW	0	12	0	0	0	0	10	5.56	
W	0	10	0	0	0	0	2	5.11	
WNW	0	2	0	0	0	0	1	6.14	
NW	0	1	0	0	0	0	0	0.00	
NNW	0	0	0	0	0	0	0	0.00	
Total	2	66	4	0	0	0	72		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	2
Hours of Missing Data for All								:	241
Hours of No Stability Class								:	87
Total hours of observation								:	2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 4- 1 00:00 to 0- 6-30 23:00

Stability Class:ALL delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	1	33	23	5	4	1	67	9.13	
NNE	0	46	14	10	1	0	71	7.94	
NE	0	38	30	39	6	0	113	11.29	
ENE	0	38	20	4	1	0	63	8.19	
E	0	23	4	0	0	0	27	6.64	
ESE	0	23	7	0	0	0	30	6.99	
SE	0	32	7	0	0	0	39	6.98	
SSE	0	85	31	3	0	0	119	7.32	
S	2	121	64	11	0	0	198	7.64	
SSW	5	171	103	9	0	0	288	7.67	
SW	4	260	103	5	0	0	372	7.03	
WSW	1	183	50	4	0	0	238	6.80	
W	1	98	24	2	0	0	125	6.87	
WNW	2	61	8	0	0	0	71	6.23	
NW	1	44	22	4	0	0	71	7.79	
NNW	1	20	20	10	0	0	51	9.64	
Total	18	1276	530	106	12	1	1943		
Hours of Calm	:								0
Hours of Varying Wind Direction	:								0
Hours of Missing Data for All	:								241
Hours of No Stability Class	:								87
Total hours of observation	:								2184

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 7- 1 00:00 to 0- 9-30 23:00

Stability Class: A delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24		
N	0	0	1	1	0	0	2	13.20
NNE	0	0	1	0	0	0	1	12.37
NE	0	0	0	2	0	0	2	14.68
ENE	0	0	4	0	0	0	4	11.09
E	0	1	6	0	0	0	7	10.78
ESE	0	0	1	0	0	0	1	9.59
SE	0	2	1	0	0	0	3	7.07
SSE	0	1	1	0	0	0	2	7.07
S	0	0	7	0	0	0	7	9.29
SSW	0	0	3	0	0	0	3	10.73
SW	0	9	6	2	0	0	17	8.49
WSW	0	12	9	0	0	0	21	8.67
W	0	1	0	0	0	0	1	4.90
WNW	0	3	0	0	0	0	3	6.18
NW	0	4	1	0	0	0	5	6.85
NNW	0	1	0	0	0	0	1	6.52
Total	0	34	41	5	0	0	80	

Hours of Calm : 0  
 Hours of Varying Wind Direction : 0  
 Hours of Missing Data : 23  
 Hours of Missing Data for All : 439  
 Hours of No Stability Class : 232  
 Total hours of observation : 2208

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 7- 1 00:00 to 0- 9-30 23:00

Stability Class: B delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24		
N	0	1	1	0	0	0	2	7.10
NNE	0	0	0	0	0	0	0	0.00
NE	0	5	1	1	0	0	7	7.84
ENE	0	1	1	0	0	0	2	7.74
E	0	1	1	0	0	0	2	8.28
ESE	0	0	1	0	0	0	1	8.38
SE	0	0	1	0	0	0	1	8.41
SSE	0	0	1	0	0	0	1	9.40
S	0	1	2	0	0	0	3	7.99
SSW	0	3	3	0	0	0	6	7.79
SW	0	6	6	0	0	0	12	8.11
WSW	1	3	1	0	0	0	5	6.65
W	0	4	3	1	0	0	8	8.23
WNW	0	2	1	0	0	0	3	6.95
NW	2	9	0	0	0	0	11	5.92
NNW	0	1	1	0	0	0	2	7.03
Total	3	37	24	2	0	0	66	

Hours of Calm : 0  
 Hours of Varying Wind Direction : 0  
 Hours of Missing Data : 15  
 Hours of Missing Data for All : 439  
 Hours of No Stability Class : 232  
 Total hours of observation : 2208

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 7- 1 00:00 to 0- 9-30 23:00

Stability Class: C delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24		
N	0	5	8	3	0	0	16	9.65
NNE	1	5	3	0	1	2	12	10.49
NE	0	5	5	12	8	0	30	14.68
ENE	0	5	4	7	1	0	17	12.42
E	0	2	3	0	0	0	5	7.68
ESE	0	0	3	0	0	0	3	8.79
SE	0	4	2	0	0	0	6	8.07
SSE	0	6	0	0	0	0	6	6.79
S	0	1	3	0	0	0	4	8.46
SSW	0	7	3	0	0	0	10	6.93
SW	2	11	4	0	0	0	17	6.79
WSW	2	7	1	0	0	0	10	5.73
W	0	3	0	0	0	0	3	4.78
WNW	1	7	0	0	0	0	8	5.04
NW	2	3	0	0	0	0	5	4.93
NNW	1	4	4	0	0	0	9	7.90
Total	9	75	43	22	10	2	161	

Hours of Calm : 0  
 Hours of Varying Wind Direction : 0  
 Hours of Missing Data : 12  
 Hours of Missing Data for All : 439  
 Hours of No Stability Class : 232  
 Total hours of observation : 2208

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 7- 1 00:00 to 0- 9-30 23:00

Stability Class: D delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24		
N	3	26	22	5	1	0	57	8.53
NNE	10	53	28	26	1	0	118	8.95
NE	3	29	59	68	4	0	163	11.79
ENE	2	37	66	33	0	0	138	10.48
E	3	42	26	0	0	0	71	7.44
ESE	2	28	26	0	0	0	56	7.41
SE	2	29	7	2	0	0	40	6.67
SSE	1	16	2	0	0	0	19	5.76
S	5	20	6	0	0	0	31	6.20
SSW	1	19	12	1	0	0	33	7.53
SW	3	31	14	0	0	0	48	7.03
WSW	4	18	1	0	0	0	23	5.41
W	1	8	1	0	0	0	10	5.46
WNW	3	19	1	0	0	0	23	5.13
NW	2	14	2	0	0	0	18	5.34
NNW	3	17	7	1	0	0	28	6.31
Total	48	406	280	136	6	0	876	

Hours of Calm : 0  
 Hours of Varying Wind Direction : 0  
 Hours of Missing Data : 89  
 Hours of Missing Data for All : 439  
 Hours of No Stability Class : 232  
 Total hours of observation : 2208

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 7- 1 00:00 to 0- 9-30 23:00

Stability Class: E delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	2	4	0	0	0	6	8.61	
NNE	2	6	2	0	0	0	10	6.05	
NE	1	5	1	0	0	0	7	6.39	
ENE	2	2	3	0	0	0	7	7.53	
E	2	6	12	0	0	0	20	7.93	
ESE	4	14	2	0	0	0	20	6.01	
SE	2	11	3	0	0	0	16	5.95	
SSE	13	22	1	0	0	0	36	4.86	
S	11	28	5	0	0	0	44	5.45	
SSW	10	52	15	0	0	0	77	6.26	
SW	13	42	7	0	0	0	62	5.54	
WSW	5	22	0	0	0	0	27	4.61	
W	4	23	0	2	0	0	29	5.43	
WNW	2	6	1	0	0	0	9	5.27	
NW	1	8	0	0	0	0	9	4.86	
NNW	1	4	3	0	0	0	8	6.49	
Total	73	253	59	2	0	0	387		
Hours of Calm	:							0	
Hours of Varying Wind Direction	:							0	
Hours of Missing Data	:							45	
Hours of Missing Data for All	:							439	
Hours of No Stability Class	:							232	
Total hours of observation	:							2208	

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 7- 1 00:00 to 0- 9-30 23:00

Stability Class: F delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24		
N	0	0	0	0	0	0	0	0.00
NNE	0	0	0	0	0	0	0	0.00
NE	0	0	0	0	0	0	0	0.00
ENE	0	0	0	0	0	0	0	0.00
E	0	1	0	0	0	0	1	5.76
ESE	1	2	1	0	0	0	4	6.25
SE	2	2	0	0	0	0	4	3.61
SSE	4	10	4	0	0	0	18	6.05
S	7	18	4	0	0	0	29	5.44
SSW	12	16	1	1	0	0	30	5.00
SW	6	2	0	0	0	0	8	3.01
WSW	5	2	5	1	0	0	13	6.43
W	7	2	1	0	0	0	10	3.90
WNW	3	5	0	0	0	0	8	3.81
NW	0	5	0	1	0	0	6	6.19
NNW	2	1	0	0	0	0	3	3.42
Total	49	66	16	3	0	0	134	

Hours of Calm : 0  
 Hours of Varying Wind Direction : 0  
 Hours of Missing Data : 19  
 Hours of Missing Data for All : 439  
 Hours of No Stability Class : 232  
 Total hours of observation : 2208



JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29  
 Data Period : 0- 7- 1 00:00 to 0- 9-30 23:00  
 Stability Class: G delta T/ delta z 61->10 m Delta T With Substitution  
 Wind Sensor Height : 10 meter  
 Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	0	0	0	0	0	0	0.00	
NNE	0	0	0	0	0	0	0	0.00	
NE	0	0	0	0	0	0	0	0.00	
ENE	0	0	0	0	0	0	0	0.00	
E	0	0	0	0	0	0	0	0.00	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	0	0	0	0	0	0	0.00	
SSE	0	0	0	0	0	0	8	5.15	
S	1	7	0	0	0	0	5	4.57	
SSW	2	2	1	0	0	0	13	4.89	
SW	4	7	2	0	0	0	15	4.22	
WSW	7	7	1	0	0	0	11	4.81	
W	6	3	2	0	0	0	10	4.53	
WNW	6	3	1	0	0	0	0	0.00	
NW	0	0	0	0	0	0	0	0.00	
NNW	0	0	0	0	0	0	0	0.00	
Total	26	29	7	0	0	0	62		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	7
Hours of Missing Data for All								:	439
Hours of No Stability Class								:	232
Total hours of observation								:	2208

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 7- 1 00:00 to 0- 9-30 23:00

Stability Class:ALL delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	3	34	36	9	1	0	83	8.83	
NNE	13	64	34	26	2	2	141	8.90	
NE	4	44	66	83	12	0	209	11.92	
ENE	4	45	78	40	1	0	168	10.54	
E	5	53	48	0	0	0	106	7.77	
ESE	7	44	34	0	0	0	85	7.11	
SE	6	48	14	2	0	0	70	6.49	
SSE	18	55	9	0	0	0	82	5.58	
S	24	75	27	0	0	0	126	5.98	
SSW	25	99	39	2	0	0	165	6.43	
SW	28	108	40	2	0	0	178	6.37	
WSW	24	71	19	1	0	0	115	5.91	
W	18	44	7	3	0	0	72	5.40	
WNW	15	45	4	0	0	0	64	5.02	
NW	7	43	3	1	0	0	54	5.57	
NNW	7	28	15	1	0	0	51	6.48	
Total	208	900	473	170	16	2	1769		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data for All								:	439
Hours of No Stability Class								:	232
Total hours of observation								:	2208

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0-10- 1 00:00 to 0-12-31 23:00

Stability Class: A delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	0	1	0	0	0	1	9.01	
NNE	0	1	1	0	0	0	2	7.73	
NE	2	1	8	0	0	0	11	9.09	
ENE	0	1	5	2	0	0	8	11.33	
E	0	0	0	0	0	0	0	0.00	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	0	0	0	0	0	0	0.00	
SSE	0	1	0	0	0	0	1	6.91	
S	1	3	2	0	0	0	6	6.73	
SSW	1	0	1	0	0	0	2	7.39	
SW	0	1	2	0	0	0	3	7.98	
WSW	0	7	5	0	0	0	12	7.59	
W	0	6	3	2	0	0	11	8.68	
WNW	0	2	5	0	0	0	7	7.80	
NW	0	3	0	0	0	0	3	6.30	
NNW	0	0	0	0	0	0	0	0.00	
Total	4	26	33	4	0	0	67		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	0
Hours of Missing Data for All								:	162
Hours of No Stability Class								:	110
Total hours of observation								:	2208

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29  
 Data Period : 0-10- 1 00:00 to 0-12-31 23:00  
 Stability Class: B delta T/ delta z 61->10 m Delta T With Substitution  
 Wind Sensor Height : 10 meter  
 Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	0	1	4	0	0	5	16.00	
NNE	0	0	0	1	0	0	1	16.63	
NE	0	1	6	0	0	0	7	10.46	
ENE	0	2	5	2	0	0	9	10.33	
E	0	1	0	0	0	0	1	5.55	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	0	0	0	0	0	0	0.00	
SSE	0	0	0	0	0	0	1	7.89	
S	0	1	0	0	0	0	1	3.75	
SSW	1	0	0	0	0	0	7	5.05	
SW	1	6	0	0	0	0	7	7.45	
WSW	1	5	4	0	0	0	10	7.45	
W	1	3	1	2	0	0	7	8.30	
WNW	2	3	0	0	0	0	5	4.56	
NW	1	7	1	0	0	0	9	6.28	
NNW	1	4	0	1	0	0	6	6.20	
Total	8	33	18	10	0	0	69		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	1
Hours of Missing Data for All								:	162
Hours of No Stability Class								:	110
Total hours of observation								:	2208

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0-10- 1 00:00 to 0-12-31 23:00

Stability Class: C delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24		
N	1	1	0	6	1	0	9	13.76
NNE	0	1	1	15	3	0	20	16.25
NE	2	3	9	12	4	0	30	13.78
ENE	1	4	19	5	0	0	29	10.20
E	1	3	1	0	0	0	5	6.02
ESE	0	0	0	0	0	0	0	0.00
SE	0	1	2	0	0	0	3	7.94
SSE	0	1	0	0	0	0	1	6.73
S	0	1	0	0	0	0	1	6.88
SSW	0	1	0	0	0	0	1	6.88
SW	1	8	0	0	0	0	9	4.94
WSW	5	3	2	0	0	0	10	5.21
W	0	4	3	0	0	0	7	7.28
WNW	2	6	1	0	0	0	9	5.09
NW	0	3	0	0	0	0	3	6.63
NNW	6	5	0	0	1	0	12	5.50
Total	19	45	38	38	9	0	149	

Hours of Calm : 0  
 Hours of Varying Wind Direction : 0  
 Hours of Missing Data : 7  
 Hours of Missing Data for All : 162  
 Hours of No Stability Class : 110  
 Total hours of observation : 2208

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0-10- 1 00:00 to 0-12-31 23:00

Stability Class: D delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	20	15	12	5	0	0	52	6.58	
NNE	16	26	37	24	0	0	103	9.10	
NE	18	32	81	52	0	0	183	10.17	
ENE	5	26	62	15	0	0	108	9.52	
E	3	19	14	2	0	0	38	7.44	
ESE	4	11	3	0	0	0	18	5.62	
SE	5	9	1	0	0	0	15	5.19	
SSE	5	9	0	0	0	0	14	4.55	
S	6	17	0	0	0	0	23	5.00	
SSW	9	16	2	7	0	0	34	7.36	
SW	13	20	5	0	0	0	38	5.12	
WSW	31	30	13	1	0	0	75	5.59	
W	12	34	7	1	0	0	54	5.64	
WNW	28	8	2	0	0	0	38	3.52	
NW	8	18	2	0	0	0	28	5.21	
NNW	18	10	2	4	0	0	34	5.51	
<b>Total</b>	<b>201</b>	<b>300</b>	<b>243</b>	<b>111</b>	<b>0</b>	<b>0</b>	<b>855</b>		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	25
Hours of Missing Data for All								:	162
Hours of No Stability Class								:	110
Total hours of observation								:	2208

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0-10- 1 00:00 to 0-12-31 23:00

Stability Class: E delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	7	5	1	0	0	0	13	4.35	
NNE	7	2	2	0	0	0	11	4.91	
NE	5	13	4	0	0	0	22	6.11	
ENE	5	13	2	0	0	0	20	5.84	
E	11	11	1	0	0	0	23	4.61	
ESE	7	6	0	0	0	0	13	3.96	
SE	3	5	0	0	0	0	8	4.47	
SSE	7	3	0	0	0	0	10	3.81	
S	6	5	1	1	0	0	13	5.49	
SSW	10	5	0	2	1	0	18	5.88	
SW	19	6	0	0	0	0	25	3.42	
WSW	26	41	7	1	0	0	75	5.32	
W	23	50	2	0	0	0	75	4.77	
WNW	12	7	0	0	0	0	19	3.50	
NW	6	8	0	0	0	0	14	4.04	
NNW	9	5	5	0	0	0	19	5.48	
Total	163	185	25	4	1	0	378		
Hours of Calm	:							0	
Hours of Varying Wind Direction	:							0	
Hours of Missing Data	:							13	
Hours of Missing Data for All	:							162	
Hours of No Stability Class	:							110	
Total hours of observation	:							2208	

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0-10- 1 00:00 to 0-12-31 23:00

Stability Class: F delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	5	1	0	0	0	0	6	3.87	
NNE	5	3	0	0	0	0	8	3.78	
NE	4	0	0	0	0	0	4	2.41	
ENE	1	1	0	0	0	0	2	4.90	
E	2	1	0	0	0	0	3	3.93	
ESE	4	1	0	0	0	0	5	3.28	
SE	13	12	0	0	0	0	25	4.37	
SSE	4	5	0	0	0	0	9	4.30	
S	14	11	1	0	0	0	26	4.29	
SSW	11	14	0	0	0	0	25	4.18	
SW	21	14	0	0	0	0	35	3.66	
WSW	23	6	0	0	0	0	29	3.33	
W	10	3	0	0	0	0	13	3.46	
WNW	9	0	0	0	0	0	9	2.99	
NW	6	2	0	0	0	0	8	3.25	
NNW	3	1	0	0	0	0	4	3.20	
Total	135	75	1	0	0	0	211		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	9
Hours of Missing Data for All								:	162
Hours of No Stability Class								:	110
Total hours of observation								:	2208



JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0-10- 1 00:00 to 0-12-31 23:00

Stability Class: G delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	0	0	0	0	0	0	0.00	
NNE	0	0	0	0	0	0	0	0.00	
NE	1	0	0	0	0	0	1	3.04	
ENE	3	0	0	0	0	0	3	2.67	
E	0	0	0	0	0	0	0	0.00	
ESE	3	0	0	0	0	0	3	3.35	
SE	3	0	0	0	0	0	3	2.81	
SSE	7	3	0	0	0	0	10	4.04	
S	17	3	0	0	0	0	20	3.26	
SSW	10	7	0	0	0	0	17	3.65	
SW	36	10	0	0	0	0	46	3.19	
WSW	63	15	0	0	0	0	78	3.47	
W	54	23	0	0	0	0	77	3.47	
WNW	26	0	0	0	0	0	26	3.20	
NW	10	2	0	0	0	0	12	3.37	
NNW	1	0	0	0	0	0	1	2.69	
Total	234	63	0	0	0	0	297		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	17
Hours of Missing Data for All								:	162
Hours of No Stability Class								:	110
Total hours of observation								:	2208

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0-10- 1 00:00 to 0-12-31 23:00

Stability Class:ALL delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	33	22	15	15	1	0	86	7.38	
NNE	28	33	41	40	3	0	145	9.51	
NE	32	50	108	64	4	0	258	10.06	
ENE	15	47	93	24	0	0	179	9.18	
E	17	35	16	2	0	0	70	6.23	
ESE	18	18	3	0	0	0	39	4.59	
SE	24	27	3	0	0	0	54	4.72	
SSE	24	23	0	0	0	0	47	4.32	
S	46	43	5	1	0	0	95	4.70	
SSW	43	44	3	9	1	0	100	5.55	
SW	93	65	7	0	0	0	165	4.03	
WSW	150	107	31	2	0	0	290	4.85	
W	103	125	16	5	0	0	249	4.81	
WNW	80	28	8	0	0	0	116	3.88	
NW	31	43	3	0	0	0	77	4.73	
NNW	38	25	7	5	1	0	76	5.39	
Total	775	735	359	167	10	0	2046		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data for All								:	162
Hours of No Stability Class								:	110
Total hours of observation								:	2208

**TABLE 8**

**JOINT FREQUENCY DISTRIBUTION**

**BY QUARTER FOR 2000**

**( BATCH RELEASES )**

**TABLE 8**

**JOINT FREQUENCY DISTRIBUTION**

**FIRST QUARTER 2000**

**NO BATCH RELEASES**

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 6-29 15:00 to 0- 6-29 23:00

Stability Class: A delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter +++ Batch Release Times Only +++

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	0	0	0	0	0	0	0.00	
NNE	0	0	0	0	0	0	0	0.00	
NE	0	0	0	0	0	0	0	0.00	
ENE	0	0	0	0	0	0	0	0.00	
E	0	0	0	0	0	0	0	0.00	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	0	0	0	0	0	0	0.00	
SSE	0	0	0	0	0	0	0	0.00	
S	0	0	0	0	0	0	0	0.00	
SSW	0	0	0	0	0	0	0	0.00	
SW	0	0	0	0	0	0	0	0.00	
WSW	0	0	0	0	0	0	0	0.00	
W	0	0	0	0	0	0	0	0.00	
WNW	0	0	0	0	0	0	0	0.00	
NW	0	0	0	0	0	0	0	0.00	
NNW	0	0	0	0	0	0	0	0.00	
Total	0	0	0	0	0	0	0		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	9

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 6-29 15:00 to 0- 6-29 23:00

Stability Class: B delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter +++ Batch Release Times Only +++

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24		
N	0	0	0	0	0	0	0	0.00
NNE	0	0	0	0	0	0	0	0.00
NE	0	0	0	0	0	0	0	0.00
ENE	0	0	0	0	0	0	0	0.00
E	0	0	0	0	0	0	0	0.00
ESE	0	0	0	0	0	0	0	0.00
SE	0	0	0	0	0	0	0	0.00
SSE	0	0	0	0	0	0	0	0.00
S	0	0	0	0	0	0	0	0.00
SSW	0	0	0	0	0	0	0	0.00
SW	0	0	0	0	0	0	0	0.00
WSW	0	0	0	0	0	0	0	0.00
W	0	0	0	0	0	0	0	0.00
WNW	0	0	0	0	0	0	0	0.00
NW	0	0	0	0	0	0	0	0.00
NNW	0	0	0	0	0	0	0	0.00

Total 0 0 0 0 0 0 0 0

Hours of Calm : 0  
 Hours of Varying Wind Direction : 0  
 Hours of Missing Data : 0  
 Hours of Missing Data for All : 0  
 Hours of No Stability Class : 0  
 Total hours of observation : 9

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 6-29 15:00 to 0- 6-29 23:00

Stability Class: C delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter +++ Batch Release Times Only +++

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	0	0	0	0	0	0	0.00	
NNE	0	0	0	0	0	0	0	0.00	
NE	0	0	0	0	0	0	0	0.00	
ENE	0	0	0	0	0	0	0	0.00	
E	0	0	0	0	0	0	0	0.00	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	0	0	0	0	0	0	0.00	
SSE	0	0	0	0	0	0	0	0.00	
S	0	0	0	0	0	0	0	0.00	
SSW	0	0	0	0	0	0	0	0.00	
SW	0	0	0	0	0	0	0	0.00	
WSW	0	0	0	0	0	0	0	0.00	
W	0	0	0	0	0	0	0	0.00	
WNW	0	0	0	0	0	0	0	0.00	
NW	0	0	0	0	0	0	0	0.00	
NNW	0	0	0	0	0	0	0	0.00	
Total	0	0	0	0	0	0	0		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	9

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 6-29 15:00 to 0- 6-29 23:00

Stability Class: D delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter +++ Batch Release Times Only +++

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	0	0	0	0	0	0	0.00	
NNE	0	0	0	0	0	0	0	0.00	
NE	0	1	1	0	0	0	2	8.29	
ENE	0	1	2	0	0	0	3	8.74	
E	0	1	0	0	0	0	1	6.55	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	0	0	0	0	0	0	0.00	
SSE	0	0	0	0	0	0	0	0.00	
S	0	0	0	0	0	0	0	0.00	
SSW	0	0	0	0	0	0	0	0.00	
SW	0	0	0	0	0	0	0	0.00	
WSW	0	0	0	0	0	0	0	0.00	
W	0	0	0	0	0	0	0	0.00	
WNW	0	0	0	0	0	0	0	0.00	
NW	0	0	0	0	0	0	0	0.00	
NNW	0	0	0	0	0	0	0	0.00	
Total	0	3	3	0	0	0	6		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	9



JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 6-29 15:00 to 0- 6-29 23:00

Stability Class: E delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter +++ Batch Release Times Only +++

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	1	0	0	0	0	1	4.91	
NNE	0	0	0	0	0	0	0	0.00	
NE	0	0	0	0	0	0	0	0.00	
ENE	0	0	0	0	0	0	0	0.00	
E	0	0	0	0	0	0	0	0.00	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	0	0	0	0	0	0	0.00	
SSE	0	1	0	0	0	0	1	4.07	
S	0	0	0	0	0	0	0	0.00	
SSW	0	0	0	0	0	0	0	0.00	
SW	0	0	0	0	0	0	0	0.00	
WSW	0	0	0	0	0	0	0	0.00	
W	0	0	0	0	0	0	0	0.00	
WNW	0	1	0	0	0	0	1	6.13	
NW	0	0	0	0	0	0	0	0.00	
NNW	0	0	0	0	0	0	0	0.00	
Total	0	3	0	0	0	0	3		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	9

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 6-29 15:00 to 0- 6-29 23:00

Stability Class: F delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter +++ Batch Release Times Only +++

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	0	0	0	0	0	0	0.00	
NNE	0	0	0	0	0	0	0	0.00	
NE	0	0	0	0	0	0	0	0.00	
ENE	0	0	0	0	0	0	0	0.00	
E	0	0	0	0	0	0	0	0.00	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	0	0	0	0	0	0	0.00	
SSE	0	0	0	0	0	0	0	0.00	
S	0	0	0	0	0	0	0	0.00	
SSW	0	0	0	0	0	0	0	0.00	
SW	0	0	0	0	0	0	0	0.00	
WSW	0	0	0	0	0	0	0	0.00	
W	0	0	0	0	0	0	0	0.00	
WNW	0	0	0	0	0	0	0	0.00	
NW	0	0	0	0	0	0	0	0.00	
NNW	0	0	0	0	0	0	0	0.00	
Total	0	0	0	0	0	0	0		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	9

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 6-29 15:00 to 0- 6-29 23:00

Stability Class: G delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter +++ Batch Release Times Only +++

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	0	0	0	0	0	0	0.00	
NNE	0	0	0	0	0	0	0	0.00	
NE	0	0	0	0	0	0	0	0.00	
ENE	0	0	0	0	0	0	0	0.00	
E	0	0	0	0	0	0	0	0.00	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	0	0	0	0	0	0	0.00	
SSE	0	0	0	0	0	0	0	0.00	
S	0	0	0	0	0	0	0	0.00	
SSW	0	0	0	0	0	0	0	0.00	
SW	0	0	0	0	0	0	0	0.00	
WSW	0	0	0	0	0	0	0	0.00	
W	0	0	0	0	0	0	0	0.00	
WNW	0	0	0	0	0	0	0	0.00	
NW	0	0	0	0	0	0	0	0.00	
NNW	0	0	0	0	0	0	0	0.00	
Total	0	0	0	0	0	0	0		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	9

JOINT WIND FREQUENCY DISTRIBUTION BY STABILITY CLASS

SITE: V. C. SUMMER Nuclear Station UNIT 1

Report Date : 01-03-29

Data Period : 0- 6-29 15:00 to 0- 6-29 23:00

Stability Class:ALL delta T/ delta z 61->10 m Delta T With Substitution

Wind Sensor Height : 10 meter +++ Batch Release Times Only +++

Hours at Each Wind Direction and Speed

Wind Direction	Wind Speed (miles/hour)						Total'	Mean Speed	
	0.75- <4	4- <8	8- <13	13- <19	19- 24	>24			
N	0	1	0	0	0	0	1	4.91	
NNE	0	0	0	0	0	0	0	0.00	
NE	0	1	1	0	0	0	2	8.29	
ENE	0	1	2	0	0	0	3	8.74	
E	0	1	0	0	0	0	1	6.55	
ESE	0	0	0	0	0	0	0	0.00	
SE	0	0	0	0	0	0	0	0.00	
SSE	0	1	0	0	0	0	1	4.07	
S	0	0	0	0	0	0	0	0.00	
SSW	0	0	0	0	0	0	0	0.00	
SW	0	0	0	0	0	0	0	0.00	
WSW	0	0	0	0	0	0	0	0.00	
W	0	0	0	0	0	0	0	0.00	
WNW	0	1	0	0	0	0	1	6.13	
NW	0	0	0	0	0	0	0	0.00	
NNW	0	0	0	0	0	0	0	0.00	
Total	0	6	3	0	0	0	9		
Hours of Calm								:	0
Hours of Varying Wind Direction								:	0
Hours of Missing Data for All								:	0
Hours of No Stability Class								:	0
Total hours of observation								:	9

**TABLE 8**

**JOINT FREQUENCY DISTRIBUTION**

**THIRD QUARTER 2000**

**NO BATCH RELEASES**

**TABLE 8**

**JOINT FREQUENCY DISTRIBUTION**

**FOURTH QUARTER 2000**

**NO BATCH RELEASES**